


# ACTIVE FLUID EXCHANGE

## Ventriculitis Decision Tree



The ACE Society Active Fluid Exchange Ventriculitis Decision Tree is provided as a guidance document for use of the IRRAflow Active Fluid Exchange System. These documents contain recommendations and suggestions intended to assist qualified medical personnel in the safe and effective use of the device in accordance with its intended purpose.

These materials are not intended to replace clinical judgment or the expertise of trained healthcare professionals. All recommendations, including but not limited to procedural techniques, irrigation protocols, patient monitoring, and medication administration, are suggestions based on clinical experience and referenced studies. Healthcare providers are responsible for making independent clinical decisions tailored to the specific needs of each patient, considering individual patient conditions, clinical settings, and applicable medical standards.

# ACTIVE FLUID EXCHANGE

## *Ventriculitis Decision Tree*



### **Key watch outs and other recommendations:**

1. Always use the device per the IFU
2. If inserting the catheter into thick purulent material, then ICP's will be inaccurate until there is communication with the rest of the ventricular system. This may take 6 to 10 hours. In the meantime, assess the patient, ensure proper drainage, obtain serial CT imaging, and consider utilizing parenchymal ICP monitoring.
3. Once the third and fourth ventricle are open, there may be retention of fluid as fluid is being diverted to the spine.
4. pH imbalances may occur if using Normal Saline, we strongly recommend using Lactated Ringers.
5. Fluid imbalance is normal during treatment. This means you may retain more fluid than what is being drained. Ensure the patient is responding to therapy and make adjustments if clinically needed.
6. If using medication, then please read the following papers providing in the bibliography below.
7. Rotation of the patient in 90 degree increments every 4 hours is strongly encouraged. This assist with dispersion of the medication.

#### BIBLIOGRAPHY

A. Garavaglia J, Hardigan T, Turner R, et al. Continuous Intrathecal Medication Delivery With the IRRAflowCatheter: Pearls and Early Experience. *Oper Neurosurg Operative Neurosurgery* ()10.1227/ons.0000000000000940, October 11, 2023.

B. Domenico Policicchio, Lucio Cosco, Giuseppe Mauro, Alfonso Nicola Iannello, Luigi Santaguida, Virginia Vescio, Giosué Dipellegrini. Stereotactic placement of dual lumen catheter system for continuous drainage, irrigation, and intraventricular antibiotic therapy for treatment of brain abscess with ventriculitis – A case report and literature review. 23-Feb-2024;15:57

C. Stati G, Migliorino E, Moneti M, et al. Treatment of cerebral ventriculitis with a new self-irrigating catheter system: narrative review and case series. *J Anesth Analg Crit Care*. 2023;3(1):46. Published 2023 Nov 8.

D. Hess RM, Lazar A, Smolar D, et al. Continuous Antibiotic Administration Using IRRAflow Catheter for Treatment of Intracranial Abscess. *Cureus*. 2021;13(10):e19061. Published 2021 Oct 26.

E. Rezai Jahromi B, Tanskanen P, Koski-Pälken A, et al. Active Cerebrospinal Fluid Exchange System for Treatment of Pyogenic Ventriculitis. *Neurosurgery Open* 2(4):okab030, December 2021.

F. Hess RM, Khan A, Edwards M, Siddiqui AH, Levy EI. Continuous intraventricular vancomycin for treatment of ventriculitis using IRRAflow: A case report. *Surg Neurol Int*. 2021;12:583. Published 2021 Nov 30.